Linea Neon Side Bendable 15W

MONDOLUX™

LINEAR LED | Product code ML63

mondolux.com.au

Uniform and homogeneous illumination...

- Side emitting, side bendable
- Fully encapsulated for IP67 protection, read more technical details below
- Variety of Installation accessories, see further specifications below
- CRI >90, see further specifier information below
- Customised lengths available in multiples of 50mm
- Available as a 5m continuous run

Product info

System Lumen Range	430lm
System Power	15W
System Efficacy	29lm/W
Input Voltage	24V DC
Body/Trim Colour	White
Installation Method	Surface Mounted
IP Rating	IP67
Dimming Type	Driver Based Dimmability

Maximum bend radius of 200mm

Photometric info

Colour Rendering Index (CRI)	CRI90
Colour Temperature (CCT)	3000K, 4000K
Beam Angle	120°

Compliance and Features

CE RoHS

Polar distribution diagrams

Accessories

Image	Code	Description
	MAL62MC3	Mondolux Accessories Neonflex Linea Side Bendable SMD2835 Mounting Clip Silver
	MAL62LE1	Mondolux Accessories Neonflex Linea Side Bendable SMD2835 Live End with cable White
	MAL62EC1	Mondolux Accessories Neonflex Linea Side Bendable SMD2835 End Cap White

Image	Code	Description
	MAL62LE1-R	Mondolux Accessories Neonflex Linea Side Bendable SMD2835 Live End with Right side cable White
	MAL62LE1-L	Mondolux Accessories Neonflex Linea Side Bendable SMD2835 Live End with Left side cable White
	MAL62LE1-B	Mondolux Accessories Neonflex Linea Side Bendable SMD2835 Live End with Bottom cable White